



SQUARE TUBE



SEC	A	B	T	Wt/m	Wt/12'
18338	15.00	15.00	2.00	0.27	1.00
12202	15.80	15.80	1.27	0.22	0.79
12203	16.00	16.00	0.50	0.09	0.32
12205	19.00	19.00	1.20	0.25	0.90
12206	19.00	19.00	1.60	0.33	1.20
12221	20.00	20.00	2.00	0.43	1.60
12208	23.50	23.50	0.50	0.13	0.47
12209	23.50	23.50	0.65	0.16	0.60
12210	23.50	23.50	0.90	0.23	0.84
12211	23.50	23.50	1.20	0.30	1.12
12207	23.50	23.50	2.00	0.51	1.86
12212	32.00	32.00	1.50	0.52	1.90
12213	32.00	32.00	3.00	1.02	3.75
12220	38.00	38.00	1.25	0.51	1.88
12222	38.00	38.00	2.00	0.82	3.00
12223	38.00	38.00	3.00	1.25	4.50
12215	50.80	50.80	1.40	0.76	2.77
12216	50.80	50.80	1.50	0.82	3.02
12217	50.80	50.80	3.15	1.73	6.34
12226	63.50	63.50	2.00	1.37	5.01
12227	63.50	63.50	3.00	2.00	7.32
20110	84.00	84.00	2.50	2.40	8.78
20111	90.00	90.00	2.50	2.54	9.31
12225	101.60	101.60	3.15	3.37	12.34



RECTANGULAR TUBE



SEC	A	B	T	Wt/m	Wt/12'
11131	38.00	25.00	1.20	0.41	1.50
11179	40.00	20.00	1.30	0.42	1.10
11171	40.00	25.00	1.20	0.41	1.50
11195	50.00	38.00	3.00	1.34	4.90
20022	50.00	37.00	1.70	0.78	2.88
11132	50.80	25.00	1.20	0.49	1.80
11133	50.80	25.00	1.60	0.65	2.40
11134	50.80	25.00	2.00	0.82	3.00
11176	63.50	12.00	1.15	0.51	1.89
11175	63.50	38.00	5.00	2.61	9.55
11135	63.50	38.10	1.00	0.55	2.01
11136	63.50	38.10	1.40	0.77	2.82
11137	63.50	38.10	1.60	0.88	3.22
11138	63.50	38.10	2.00	1.10	4.02
11139	63.50	38.10	2.50	1.37	5.03
11140	63.50	38.10	3.00	1.65	6.03
11180	68.40	23.40	1.20	0.59	2.17
11174	70.00	20.00	2.00	0.95	3.47
11173	74.00	21.00	3.00	1.47	5.40
11160	76.00	25.00	2.00	1.09	4.00
11161	79.20	50.00	2.00	1.40	5.10
11177	80.00	20.00	1.30	0.70	2.57
11194	80.00	30.00	2.00	1.14	4.20
11178	80.00	40.00	1.50	0.96	3.54
11197	89.00	51.00	3.00	2.19	7.92
11163	100.00	25.00	1.60	1.08	3.96
11164	100.00	25.00	2.00	1.35	4.95
11165	101.60	44.45	2.00	1.58	5.78
11166	101.60	44.45	2.50	1.97	7.23
11167	101.60	44.45	3.00	2.37	8.67
20183	114.00	51.00	2.50	2.16	7.91
11162	125.00	25.00	1.20	0.98	3.60
11169	127.00	38.00	3.00	2.67	9.80
11168	127.00	44.45	3.00	2.80	10.16
11196	139.00	51.00	3.00	3.00	10.38
11170	150.00	50.00	3.00	3.16	14.46



17211 0.375kg/m

4.45



17212 0.380kg/m

4.45



2205 LINE POSTS


2205L-B

2205L
LINE POST PUNCHED
AT 0° & 180°
6 RECT. & 6 ROUND HOLES


2205E & 2205G
GATE & END POST
PUNCHED AT 0°
3 RECT. & 3 ROUND HOLES

2205C-B
CORNER POST
PUNCHED AT 0° & 90°
6 RECT. & 6 ROUND HOLES


FRONT VIEW




SIDE VIEW




F1104SB



LENGTH 1828.80




STRINGER IS HAVING 15 HOLES TO BE PUNCHED AT EQUAL DISTANCE OF 114.30



PUNCH OF 16.76 X 16.76 SQ. AT EQUAL DIST. OF 114.30 mm TOTAL NOS. OF 15

F2104P-B



STRINGER 47x28x1.50
(U-CHANNEL) IN-WALL ALUMINUM
TUBE PUNCHED TO RECEIVE PICKETS

PICKETS 15.00x15.00x1.27
IN-WALL ALUMINUM SQUARE

